

GAS STOVES



Experience and Know-How



A strategic alliance between two great companies.



Engineered and manufactured in part with renowned Pacific Energy Fireplace Products, the Piazzetta Gas Fireplace Collection is the culmination of experience and passion between two industry-leaders. Each fireplace is based on research, innovation, expertise, knowledge and selection of the best materials, cutting-edge technology and skill.

Efficiency

BEHIND THE LEGENDARY PERFORMANCE LIES NEXT-GENERATION TECHNOLOGY

Inside and out, the Piazzetta gas collection is engineered to provide powerful efficient heat for your home. Each firebox is lined with Aluker® interior panels, the exclusive refractory ceramic material patented by Piazzetta, to maximize heat dispersion. Large aluminum-finned heat exchangers boost convective heat energy and highly reflective baffles are a key component for radiant heat performance. On the outside, Italian handcrafted Majolica ceramic cladding not only enhances the stylishness of the product, but also ensures great heat storage followed by a prolonged distribution of warmth.

Safety


ALWAYS AT THE FOREFRONT

With advanced technologies and materials, there's no need to compromise aesthetics for safety. That is why Pacific Energy developed an integrated micro-mesh screen that creates a virtually invisible safety barrier - allowing a clear, unobstructed view of the flame as a standard feature for each appliance.

Design

ABSOLUTE COMFORT WITH FLOOR-LEVEL HEAT OUTPUT

We all know hot air rises; so it makes sense to force hot air from the bottom rather than the top like conventional systems do. Thanks to Piazzetta's unique floor-level heat output system, you can maintain an ideal temperature from floor to ceiling.



Find the size that is right for your home and redefine heating your living space with easy-to-use, high-efficiency, contemporary elegance.

G958

Freestanding Gas Stove
for Medium Spaces

Natural Gas
High 18,000 BTU/hr
Low 12,500 BTU/hr
P4.1 70.4%
AFUE 72%

Liquid Propane
High 18,000 BTU/hr
Low 14,000 BTU/hr
P4.1 70.4%
AFUE 72%



G958

G963

Freestanding Gas Stove
for Medium to Large Spaces

Natural Gas
High 30,000 BTU/hr
Low 20,000 BTU/hr
P4.1 68%
AFUE 70%

Liquid Propane
High 28,000 BTU/hr
Low 22,000 BTU/hr
P4.1 69.3%
AFUE 70%



G963

G958 C



G958 M



G963 C



G963 M



Majolica – a Product of Excellence

Hand-crafted in Italy, Majolica cladding holds in the heat radiated by the firebox and then disperses it continuously and evenly throughout the environment, releasing pleasant warmth even after the fire has been shut down.

Cladding and Colours

Customize your fireplace experience and create the exact combination of color, finish, and detail to perfectly enhance your home. Choose from different hand-crafted cladding styles, color options, and two spectacular burner designs.

G958



STRAIGHT



Lava Red



Yellow



Dark Copper

G958 C



CURVED



Off White



Bordeaux



Oriental Sand

G958 M



MODERN



Stone



Flat Black

G963



STRAIGHT



Lava Red



Yellow



Waxed Grey

G963 C



CURVED



Off White



Bordeaux



Oriental Sand

G963 M



MODERN



Stone



Flat Black

Burners



LOGSET BURNER



GLASS BURNER



Desert



Pacific



Twilight



Black

G958, G958 C, G958 M

Freestanding Gas Stove for Medium Spaces

Natural Gas

High 18,000 BTU/hr
Low 12,500 BTU/hr
P.4.1 70.4%
AFUE 72%

Liquid Propane


High 18,000 BTU/hr
Low 14,000 BTU/hr
P.4.1 70.4%
AFUE 72%

STANDARD FEATURES

Direct vent technology
SIT Pro Flame 2 valve
Full flames
Ground level heat output
High-efficiency heat exchanger with aluminum fins
Integrated micro-mesh safety screen
ALUKER® interior panels
Standard remote control
Minimal vertical venting
Leveling legs
Variable-speed blower

DESIGN OPTIONS

Burner: Driftwood Logset or Tumbled Glass
Ceramic cladding: Straight, Curved or Modern, nine colour options



CLEARANCES TO COMBUSTIBLES minimum clearance to combustible materials

Interior Side Wall	4"
Interior Back Wall	4"
Interior Ceiling	4"
In Front Of Appliance	36"
Exterior Side Wall	8"
Venting Clearance	1"
Exterior Soffit	30"

G963, G963 C, G963 M

Freestanding Gas Stove for Medium to Large Spaces

Natural Gas

High 30,000 BTU/hr
Low 20,000 BTU/hr
P.4.1 68%
AFUE 70%

Liquid Propane


High 28,000 BTU/hr
Low 22,000 BTU/hr
P.4.1 69.3%
AFUE 70%

STANDARD FEATURES

Direct vent technology
SIT Pro Flame 2 valve
Full flames
Ground level heat output
High-efficiency heat exchanger with aluminum fins
Integrated micro-mesh safety screen
ALUKER® interior panels
Standard remote control
Minimal vertical venting
Leveling legs
Variable-speed blower

DESIGN OPTIONS

Burner: Driftwood Logset or Tumbled Glass
Ceramic cladding: Straight, Curved or Modern, nine colour options



CLEARANCES TO COMBUSTIBLES minimum clearance to combustible materials

Interior Side Wall	4"
Interior Back Wall	4"
Interior Ceiling	4"
In Front Of Appliance	36"
Exterior Side Wall	8"
Venting Clearance	1"
Exterior Soffit	30"

For reference only. Installations should be based on manuals and rating labels. Specifications subject to change.



Installation Manuals are available online.
Visit www.piazzetta.com or www.pacificenergy.net

Distributed exclusively in North America by
Pacific Energy Fireplace Products.

PROA.PZGASFS - 6/14/30M - Printed in Canada